

Mounting Options for Magnehelic gauge

Models Select Chart

Model	Description
A-288	"L" type metal mounting bracket with screws.
A-289	"S" type metal mounting bracket with screws.
A-298	Flat aluminum bracket for flush mounting Photohelic® & Capsuhelic® gages, 603A, 605, and 3000MR.
A-299	Mounting bracket flush mount Magnehelic® gage in
	bracket. Bracket is then surface mounted. Steel with
	gray hammertone epoxy finish. 6.3" x 7.7" x 4.0", 1.30 lb.
A-300	Flat aluminum bracket for flush mounting Magnehelic® gage. 6.8" x 6.0" x .1", .35 lb.
A-351	Pinch clamp to seal rubber tubing, as in a leakage test.
A-352	Magneclip, slip on magnetic holder for acrylic plastic gage, per pair.
A-353	Magnetic mounting, flat style, secures to flowmeter, etc. with no. 6-32 machine screw and boots insert.
A-354	Magnetic mounting, edge style, secures edge of acrylic manometer with No. 10-32 machine screw and boots insert.

A-356	Gage plug with retainer loop, polyethylene plastic, for 1/4" ID tubing, slip loop over tubing OD and insert plug for seal.
A-357	Thermometer and terminal tube holder, stainless steel wire.
A-360	Aluminum DIN rail
A-362	Stand-hang bracket, aluminum, for Minihelic® II gage.
A-363	Scale clamp bar for 1221 manometer.
A-364	Magnet assembly for 1222 manometers, 2 required (3 required for 1222-36 and M-1000).
A-366	Manometer cleaning brush, 1/4" OD x 2-1/8" long, attach to wire for use.
A-368	Surface mounting plate, aluminum, for Magnehelic® gage.
A-369	Stand-hang bracket, aluminum, for Magnehelic® gage.
A-370	Flush mount bracket used with: Photohelic® 3000MR/MRS, Capsuhelic®, 631B Transmitter, EDA. Bracket is then surface mounted. Steel with gray hammertone epoxy finish.
A-371	Surface mounting bracket, use with Photohelic® switch/gage on horizontal or vertical surfaces, also for Capsu-Photohelic® switch/gage on vertical only. Also Magnehelic® -MP, -HP models.
A-395	Surface mounting bracket Series 4000 Capsuhelic® gages, steel with gray hammertone epoxy finish.
A-397	Rugged step drill, quickly provides true round holes in thin materials, no center punch needed to start, automatically de-burrs drilled hole, high speed steel, drills 3/16" through 1/2" holes in 1/16" increments.
A-464	Flush mount kit for Magnehelic® gages.
A-465	Flush mount space pressure sensor
A-497	Mounting bracket for the Series 2-5000 Minihelic® II Differential Pressure Gage